

RB1 (27-28.5CV)

Specifications

Calorific Value Basis (kcal/kg NCV)	6,000
-------------------------------------	-------

Calorific Value Min (kcal/kg NCV)	5,850
-----------------------------------	-------

Total Moisture (ARB)	12.0% Max
----------------------	-----------

Volatile Matter (ARB)	22.0% Min
-----------------------	-----------

Ash (ARB)	15.0% Max
-----------	-----------

Sulphur (ARB)	1.0% Max
---------------	----------

Hardgrove Grindability Index (HGI)	45 – 70
------------------------------------	---------

Nominal Topsize	50 mm
-----------------	-------

IDT	Min 1,250 °C in a reducing atmosphere
-----	---------------------------------------

Calcium Oxide in Ash (DB)	12.0% Max
---------------------------	-----------

RB2 5700 (26-27.5CV)

Specifications

Calorific Value Basis (kcal/kg NCV)	6,000
-------------------------------------	-------

Calorific Value Min (kcal/kg NCV)	5,700
-----------------------------------	-------

Total Moisture (ARB)	13.0% Max
----------------------	-----------

Volatile Matter (ARB)	21.0% Min
-----------------------	-----------

Ash (ARB)	17.0% Max
-----------	-----------

Sulphur (ARB)	1.0% Max
---------------	----------

Hardgrove Grindability Index (HGI)	45 – 70
------------------------------------	---------

Nominal Topsize	50 mm
-----------------	-------

IDT	Min 1,250 °C in a reducing atmosphere
-----	---------------------------------------

RB3 (24-26CV)

Specifications

Calorific Value Basis (kcal/kg NCV)	5,500
-------------------------------------	-------

Calorific Value Min (kcal/kg NCV)	5,300
-----------------------------------	-------

Total Moisture (ARB)	14.0% Max
----------------------	-----------

Volatile Matter (ARB)	20.0% Min
-----------------------	-----------

Ash (ARB)	23.0% Max
-----------	-----------

Sulphur (ARB)	1.0% Max
---------------	----------

Hardgrove Grindability Index (HGI)	45 – 70
------------------------------------	---------

Nominal Topsize	50 mm
-----------------	-------

IDT	Min 1,150 °C in a reducing atmosphere
-----	---------------------------------------

RB4 4800 (21-23CV)

Specifications

Calorific Value Basis (kcal/kg NCV)	4,800
-------------------------------------	-------

Calorific Value Min (kcal/kg NCV)	4,500
-----------------------------------	-------

Total Moisture (ARB)	14.0% Max
----------------------	-----------

Volatile Matter (ARB)	18.0% Min
-----------------------	-----------

Ash (ARB)	32.0% Max
-----------	-----------

Sulphur (ARB)	1.2% Max
---------------	----------

Hardgrove Grindability Index (HGI)	45 - 70
------------------------------------	---------

Nominal Topsize	50 mm
-----------------	-------

IDT	Min 1,150 °C in a reducing atmosphere
-----	---------------------------------------